

## The future hotel's best choice

# The smart replacement of existing magnetic card system

The 8019 RFID hotel lock is thus equipped with a built-in alarm, which is activated. when the door is not properly closed.

And this smart door lock system has open the door, get power, parking, access control, lift controller, consumption,

such as IC card function, for the customer and hotel management to bring real, great convenience .

The 8019 RFID hotel lock is beneficial in its acquisition when compared to many other locks, while it is a high quality. From materials ,chips, Surface process, etc.



# AUTO-UNLOCK FUNCTION FOR ESCAPE

Just rotate the handle inside the door to open all the lockings to go out.

#### Innovative and stable product structure

The mortise for the electronic lock is designed according to American standard, machine and motor double control, which has the patent of invention and fills in the gap in Chinese electronic lock industry.

#### Auto-lock Function

Auto lock after closet the door



#### Products realize mechanotronics

The clutch is inside the mortise, and when electronic part has something wrong, the lock can still be unlocked by mechanical way; when the panel has been broken, the mortise can still guarantee the security and cannot be opened by force.

#### 304 SS High solidness



The bolts ,handle,panle is made of 304 stainless steel, as American Standard, strong and durable

#### certification

Intertek CE Iso9001

Warning signal when the voltage is below 4.8v




#### Mechanical key

The lock can also be opened by mechanical key







The 8019 RFID hotel lock is equipped with durable contactless card technology, which is insensitive to scratches and magnetic fields.the battery has a high longevity (normal 4pcs AA batteries can use 14 mothes) and both the locks and cards are low-maintenance. The locks are standard equipped with an emergency cylinder and a special fire prevention card to keep the doors open during an emergency.



Durable contactless card technology. Which is insensitive to magnetic fields and scratches.etc.

Assembly in Holland,100% own development High quality card slot built from

304 STAINLESS STEEL Components.

No wear and tear to lock and cards,low maintenance.

Internal memory readout last 830 lock opening records.

Card has extended function, can be used for parking, consumption, llift control

### Main technical data

• In accordance with EN14846 standards.

- $\cdot$  Lock without a cable, current using 4 x standard
- AA batteries incl. low battery voltage alarm.
- Longevity of batteries minimum 14 months.
  Emergency cylinder and mechanical key to

open the door in case of emergency.

• Electronic mortise, with anti-panic function and dead bolt lock.

 $\cdot$  The lock draws the attention of the guest with a subtle alarm if the door is not properly closed.

 $\cdot$  Once the lock is bolted on the inside by the guest, it is visible through the red glowing LED (privacy function).

• Optionally available with wall readers for control of electric doors and/or locks.

• Optionally available with intelligent energy control units for switching current in the hotel room.



The 8019 RFID HOTEL LOCK has got Intertek En14846 certification.






Karben Tec provides safety- and comfort products for every segment of the hotel industry. However, this does not only pertain to the supplying of products.

Karben Tec has its own Research & Development department where innovative products are developed and produced. Quality and competitive pricing take precedence, while sustainability and care for the environment do not get ignored. Karben Tec is the market leader in the Benelux countries and has a global service network.

We see to the transport, delivery and assembly ourselves. This enables us to offer you the best possible products and service. We have sales channels in a lot of countries around the world and tourism cities. Discover what Karben Tec can do for you business on www.Karben Tec.com







smart DND swtiches system